




PIANC

The World Association for Waterborne
Transport Infrastructure

CRITERIA FOR ACCEPTABLE MOVEMENT OF SHIPS AT BERTHS



MarCom Working Group Report N° 212 – 2023

PIANC REPORT N° 212
MARITIME NAVIGATION COMMISSION

**CRITERIA FOR ACCEPTABLE MOVEMENT
OF SHIPS AT BERTHS**

June 2023

PIANC has Technical Commissions concerned with inland waterways and ports (InCom), coastal and ocean waterways (including ports and harbours) (MarCom), environmental aspects (EnviCom) and sport and pleasure navigation (RecCom).

This report has been produced by an international Working Group convened by the Maritime Navigation Commission (MarCom). Members of the Working Group represent several countries and are acknowledged experts in their profession.

The objective of this report is to provide information and recommendations on good practice. Conformity is not obligatory and engineering judgement should be used in its application, especially in special circumstances. This report should be seen as an expert guidance and state-of-the-art on this particular subject. PIANC disclaims all responsibility in the event that this report should be presented as an official standard.

PIANC HQ
Boulevard du Roi Albert II 20 B. 3
1000 Brussels | Belgium

<http://www.pianc.org>

VAT BE 408-287-945

ISBN 978-2-87223-028-0

© All rights reserved

TABLE OF CONTENTS

| | | |
|-------|--|----|
| 1 | INTRODUCTION | 1 |
| 1.1 | Working Group's History and Membership | 1 |
| 1.1.1 | Members | 1 |
| 1.1.2 | Working Group Meetings | 3 |
| 1.1.3 | Key Requirements from Terms of Reference as Provided by PIANC | 4 |
| 1.2 | Aim of Document and Targeted Primary International Audience | 5 |
| 1.3 | Motivations for Updating of WG 24 (and WG 115) | 5 |
| 1.4 | Approach | 6 |
| 1.5 | References to Other Working Groups | 7 |
| 1.6 | Acknowledgements | 7 |
| 1.7 | Overview of Contributions by WG-Members | 8 |
| 2 | GENERAL INFORMATION, DEFINITIONS, AND ASSUMPTIONS | 8 |
| 2.1 | Introduction | 9 |
| 2.2 | Motion Definitions | 9 |
| 2.3 | Assumptions and Context | 9 |
| 2.4 | Limitations | 10 |
| 3 | LIQUID BULK | 11 |
| 3.1 | Introduction | 11 |
| 3.2 | (Un)Loading Equipment | 11 |
| 3.2.1 | Marine Loading Arms | 11 |
| 3.2.2 | Flexible Hoses | 13 |
| 3.3 | Motion Criteria | 13 |
| 3.3.1 | Operational (Un)Loading Motion Criteria | 13 |
| 3.3.2 | Extreme Conditions Considerations | 15 |
| 4 | DRY BULK CARRIERS | 16 |
| 4.1 | Introduction | 16 |
| 4.2 | Dry Bulk (Un)Loading Process | 16 |
| 4.3 | Materials Handling Equipment | 17 |
| 4.3.1 | General | 17 |
| 4.3.2 | Ship's Gear | 18 |
| 4.3.3 | Shore-Based Equipment | 19 |
| 4.4 | Motion Limits | 20 |
| 4.4.1 | (Un)Loading with Crane and Grab Bucket | 20 |
| 4.4.2 | Unloading with Elevator/Bucket Wheel/Pneumatic Equipment | 22 |
| 4.4.3 | Loading with Continuous Shiploader (or Unloading with Self Unloader) | 24 |
| 5 | GENERAL CARGO VESSELS | 25 |
| 5.1 | Introduction | 25 |
| 5.2 | General Cargo (Un)Loading Process | 25 |
| 5.2.1 | Cargo Placement and Handling | 25 |
| 5.2.2 | Operational Considerations | 26 |
| 5.3 | Earlier and Updated Motion Criteria | 26 |
| 6 | CONTAINER SHIPS | 28 |
| 6.1 | Container Handling | 28 |
| 6.2 | Historical Criteria | 30 |
| 6.3 | Vessel Motion Criteria Related to Loading Efficiency | 31 |
| 6.3.1 | Data Sources | 31 |
| 6.3.2 | Motion Criteria | 33 |
| 7 | RORO SHIPS (INCLUDING FERRIES) | 36 |
| 7.1 | RoRo Vessel and Terminal Characteristics | 36 |
| 7.1.1 | Vehicle Transport | 36 |
| 7.1.2 | Rail Transport | 36 |
| 7.2 | Summary of Previous Guidelines | 38 |
| 7.2.1 | Vessel Motion Guidelines for Vehicle Loading | 38 |
| 7.2.2 | Vessel Motion Guidelines for Rail Loading | 40 |

| | | |
|-------|---|----|
| 7.2.3 | Velocity and Acceleration Guidelines | 40 |
| 7.3 | Updated Allowable Motion Criteria | 41 |
| 7.3.1 | Definition | 41 |
| 7.3.2 | Proposed Allowable Motion Criteria | 41 |
| 8 | CRUISE SHIPS..... | 45 |
| 8.1 | Cruise Ship Characteristics | 45 |
| 8.2 | Shore Connections..... | 46 |
| 8.2.1 | Passenger and Crew Boarding Equipment | 46 |
| 8.2.2 | Utilities | 48 |
| 8.3 | Summary of Previous Guidelines..... | 48 |
| 8.4 | Proposed Motion Criteria for Passenger Transfer | 48 |
| 8.4.1 | Definition | 48 |
| 8.4.2 | Criteria for PBB | 48 |
| 8.4.3 | Criteria for Gangway | 50 |
| 8.4.4 | Proposed Allowable Limiting Motions..... | 50 |
| 9 | SMALL VESSELS | 52 |
| 9.1 | Introduction..... | 52 |
| 9.2 | Maritime Support Vessels | 52 |
| 9.3 | Small Fishing Vessels | 52 |
| 10 | REFERENCES | 54 |
| | APPENDIX A – TERMS OF REFERENCE | 56 |
| | APPENDIX B – BACKGROUND INFORMATION ON CHAPTER 3 – LIQUID BULK..... | 59 |
| | APPENDIX C – BACKGROUND INFORMATION ON CHAPTER 6 – CONTAINER VESSELS..... | 61 |

LIST OF FIGURES

| | | |
|-------------|---|----|
| Figure 1.1: | Members of the WG attending the last in-person meeting. | 4 |
| Figure 3.1: | Single MLA operating, emergency disconnect, and max arm operating envelope..... | 12 |
| Figure 3.2: | Loading arms connected directly to the ship's manifold..... | 12 |
| Figure 3.3: | Loading arms connected through hoses to the ship's manifold..... | 13 |
| Figure 4.1: | Ship translations at CoG (xyz)..... | 17 |
| Figure 4.2: | Schematic representation of bulk handling equipment. | 18 |
| Figure 4.3: | Example of self-unloading vessel discharging. | 19 |
| Figure 5.1: | Unloading of machinery component by general cargo ship's crane..... | 25 |
| Figure 6.1: | Ship-to-shore gantry crane in the Port of Bremerhaven. | 28 |
| Figure 6.2: | Spreader with yellow flaps up. | 29 |
| Figure 6.3: | Container loading efficiency as function of significant surge amplitude..... | 33 |
| Figure 7.1: | Stern mooring of Stena Hollandica at Hoek Van Holland. | 37 |
| Figure 7.2: | Rail ramp at Baku, Azerbaijan. | 37 |
| Figure 7.3: | Stena transporter moored at Hoek Van Holland..... | 42 |
| Figure 8.1: | Voyager class cruise ship moored at berth. | 45 |
| Figure 8.2: | Example shell door plans for oasis of the seas | 45 |
| Figure 8.3: | PBB and cruise operations, Port of Rotterdam cruise terminal..... | 47 |
| Figure 8.4: | Example of a rotating gangway. | 47 |
| Figure 8.5: | Ramp rotation to account for longitudinal motion at the shell door..... | 49 |
| Figure 8.6: | Ramp rotation to account for vertical motion at shell door..... | 50 |

LIST OF TABLES

- Table 1-1: Members of PIANC Working Group 212. 2
- Table 1-2: Members contributing to guidelines. 2
- Table 1-3: Working Group meetings. 3
- Table 1-4: References to other Working Groups. 7
- Table 1-5: Overview of contributions by the WG-members. 8
- Table 3-1: Recommended operational (un)loading motion criteria. 14
- Table 4-1: Zero-to-peak motion amplitudes. 20
- Table 4-2: Zero-to-peak. 21
- Table 4-3: Zero-to-peak motion amplitudes. 21
- Table 4-4: General case for shore crane or ship's gear (zero-to-peak motion amplitudes). 22
- Table 4-5: Observations of moored vessel movements (bulk carriers) at Port of A Coruña. 22
- Table 4-6: At active hatch (zero-to-peak motion amplitudes). 23
- Table 4-7: At active hatch (zero-to-peak motion amplitudes). 23
- Table 4-8: Zero-to-peak motion amplitudes. 24
- Table 4-9: At active hatch (zero-to-peak motion amplitudes). 24
- Table 5-1: Zero-to-peak motion amplitudes. 27
- Table 5-2: Zero-to-peak motion amplitudes. 27
- Table 6-1: Zero-to-peak motion amplitudes. 30
- Table 6-2: Allowable significant motion amplitude of container ships for an (un)loading efficiency of 95 % per WG 115. 31
- Table 6-3: Vessel motion criteria for container ships related to (un)loading efficiency. 34
- Table 7-1: Historical operational maximum allowable motion limits for RoRo ships (vehicle access). 39
- Table 7-2: Historical extreme maximum allowable motion limits for RoRo ships. 40
- Table 7-3: Historical allowable motion limits for rail loading. 40
- Table 7-4: Historical velocity criteria for RoRo vessels. 41
- Table 7-5: Recommended maximum amplitude motion criteria for RoRo ships. 44
- Table 8-1: Historical allowable motion limits for PBB. 48
- Table 8-2: Recommended maximum amplitude motion criteria for cruise ships. 51
- Table 9-1: Motion criteria nautical service providers. 52
- Table 9-2: Motion limits for cargo handling on moored fishing vessels per WG 24. 53