



# PIANC

InCom WG Report  
n° 189 - 2020



## FATIGUE OF HYDRAULIC STEEL STRUCTURES

The World Association for Waterborne Transport Infrastructure



**PIANC**  
The World Association for  
Waterborne Transport Infrastructure

**PIANC REPORT N° 189**  
INLAND NAVIGATION COMMISSION

**FATIGUE OF HYDRAULIC STEEL STRUCTURES**

2020

PIANC has Technical Commissions concerned with inland waterways and ports (InCom), coastal and ocean waterways (including ports and harbours) (MarCom), environmental aspects (EnviCom) and sport and pleasure navigation (RecCom).

This report has been produced by an international Working Group convened by the Inland Navigation Commission (InCom). Members of the Working Group represent several countries and are acknowledged experts in their profession.

The objective of this report is to provide information and recommendations on good practice. Conformity is not obligatory and engineering judgement should be used in its application, especially in special circumstances. This report should be seen as an expert guidance and state-of-the-art on this particular subject. PIANC disclaims all responsibility in the event that this report should be presented as an official standard.

**PIANC Secrétariat Général**  
Boulevard du Roi Albert II 20, B 3  
B-1000 Bruxelles  
Belgique

<http://www.pianc.org>

VAT BE 408-287-945

ISBN 978-2-87223-004-4

© All rights reserved

# TABLE OF CONTENTS

1	Glossary	6
2	Terminology of Gate Types	8
3	Abbreviations	9
4	Introduction	9
4.1	Terms of Reference	9
4.2	Members of PIANC WG 189	11
4.3	Acknowledgments and Site Visits	13
5	Fatigue and Hydraulic Structures	13
5.1	Nature of Fatigue Problems in Steel Structures	13
5.2	Description of Typical Hydraulic Steel Structures	16
5.2.1	Mitre Gates	17
5.2.2	Rolling Lock Gates	18
5.2.3	Vertical Lift Gates	19
5.2.4	Submersible Vertical Lift Gates	19
5.2.5	Horizontally Hinged Sector Gates	20
5.2.6	Submersible Radial Gates	20
5.2.7	Spillway Radial Gates	20
5.2.8	Vertically Hinged Sector Gates	20
5.3	Typical Fatigue Damage Patterns and Cases	21
5.3.1	Bending of Girders	21
5.3.2	Gate Distortion	22
5.3.3	Sharp Corners	25
5.3.4	Pure Tension of Diagonals	26
5.3.5	Wire Ropes	27
5.3.6	Fatigue of Gate Drives	27
6	Fatigue Loads	28
6.1	Cyclic Loads and Fatigue	28
6.2	Main Fatigue Loads	29
6.2.1	Differential Water Head in Lock Gates	29
6.2.2	Hydraulic Gate Drive Loads	31
6.2.3	Gate Closing and Pre-Loading	31
6.2.4	Inertial Loads on Drives	32
6.2.5	Support Compatibility Loads	32
6.3	Other Fatigue Loads	33
6.3.1	Ship Propulsion Loads	33
6.3.2	Wind Wave Loads	33
6.3.3	Loads Caused by Flow Oscillation	34
6.3.4	Machine-Induced Vibration Loads	35
6.3.5	Snow and Ice Loads	35
6.3.6	Variable Contact Loads	36
6.4	Extraordinary Fatigue Loads	36
6.4.1	Fatigue by System Malfunctioning, Human Error and/or Obstacles	36
6.4.2	Fatigue Impact of Earthquake Loads	36
6.5	Calculation Models for Fatigue Stresses	36
6.5.1	Nominal Stress Calculation	36
6.5.2	Hot Spot Stress Calculation	37
6.5.3	Effective Notch Stress Method	37
7	Fatigue Resistance Analysis	38
7.1	Fatigue Resistance	38
7.2	Definition of Design Requirements	39
7.2.1	Requirements in Terms of Margins to S-N Curves	39
7.2.2	Requirements in Terms of Calculated Reliability	41
7.2.3	Requirements in Terms of Service Life	41
7.3	Joint Classification	43

7.4	Fatigue and Corrosion	45
7.4.1	Interaction Mechanism	45
7.4.2	Recent Insights	46
7.4.3	Seawater Conditions in Codes	46
7.5	Structural Models for Fatigue Analysis	47
7.5.1	Modelling for Fatigue General	47
7.5.2	Suitable Software	47
7.6	Codes	48
8	Detailed Fatigue Design	50
8.1	Identification of Fatigue Sensitive Details	50
8.2	Fatigue in Risk Management Methods	51
8.2.1	Lists of Critical Components	51
8.2.2	Ranking the Fatigue Risks	52
8.3	Fatigue Design of Hydraulic Gate Details	52
8.3.1	Load Bearing Frame and Skin Plate	53
8.3.2	Bolted Connections	56
8.3.3	Gate Hinges and their Anchoring	57
8.3.4	Carriages, Rollers, Wheels and (Guide) Rails	57
8.3.5	Hook-Ups of Drive Systems	58
8.3.6	Other Fatigue Sensitive Details	58
8.3.7	Do's and Don'ts in Welded Joints	58
8.3.8	Do's and Don'ts in Other Joints and Details	58
8.4	Fatigue Design of Gate Drive Details	59
8.4.1	Hydraulic Cylinders and Their Mounts	59
8.4.2	Other Components of Hydraulic Drive Systems	59
8.4.3	Rack & Pinion, Panama Linkage and Geared Drives	60
8.4.4	Chain and Sprocket Drives and Hoists	61
9	Aspects of Construction of Fatigue Resistant Structures	62
9.1	Material Selection	62
9.1.1	Yield Limit	62
9.1.2	Toughness	62
9.1.3	Production Processes	62
9.1.4	Hot Rolled Carbon Steel	63
9.1.5	Rolled Quenched & Tempered (QT) Carbon Steel	64
9.1.6	Thermo-Mechanically Rolled Carbon Steel	65
9.1.7	Cast and Forged Steel Parts	65
9.1.8	Stainless Steels	68
9.2	Fatigue Sensitive Manufacturing	68
9.2.1	Welding of Hydraulic Steel Structures	68
9.2.2	Welding of Thick Components	69
9.2.3	Welding Pre-Heating and Post Weld Heat Treatment	69
9.2.4	Bolting General	70
9.2.5	Other Fatigue Sensitive Manufacturing Techniques	70
9.3	Fatigue Sensitive Assembly Methods	71
9.3.1	Residual Stresses in Assemblies	71
9.3.2	Fatigue Strength Impact from Repair Welding	72
9.4	Aspects of Good Design and Construction Practice	73
9.4.1	Good Practices in Avoiding Corrosion	73
9.4.2	Attachment of Secondary Components	75
9.4.3	Good Practices in General Fabrication	76
9.4.4	Good Practices for Welding	76
9.4.5	Good Practices in Quality Control and Quality Assurance in the Field	77
10	Fatigue Strength of Existing Structures	78
10.1	Fatigue Properties of Old Materials and Structures	78
10.2	Relevant Data and Their Sources	79
10.3	Assessment of Remaining Fatigue Life	81
10.3.1	Phase I: Preliminary Evaluation	81
10.3.2	Phase II: Detailed Investigation	81
10.3.3	Phase III: Expert Investigation	82

10.3.4	Fracture Mechanics	83
10.3.5	Phase IV: Remedial Measures	85
10.4	Fatigue Strength Improvement Methods	86
10.5	Regular Inspections, Monitoring Fatigue Damage	87
10.6	Repair of Fatigue Damage	88
11	Conclusions and Recommendations	91
11.1	General Conclusions	91
11.2	Recommendations Concerning Fatigue Loads and Analysis	92
11.3	Recommendations Concerning Fatigue Resistance	92
11.4	Recommendations Concerning Construction	93
11.5	Recommendations Concerning Maintenance and Assessment of Existing Structures	94
12	REFERENCES	94
13	Annexes	97
	Annex A – Fatigue Improved Details	97
	Annex B – Example of Fatigue Calculation Comparing EN 1993-1-9 and USACE ETL 1100-2-584	106
	B.1 Introduction	106
	B.2 Fatigue Verification According to Eurocode EN 1993-1-9 and DIN 19704-1	107
	B.3 Fatigue Verification According to AASHTO LRFD Bridge Design Specifications (6th Edition, 2012)	108
	B.4 Fatigue Verification According to ETL 1100-2-584	108
	B.5 Summary	108

## FIGURES

Figure 1	Schematic fatigue crack growth diagram with noticeable crack size and critical crack size	14
Figure 2	Schematic fatigue life summary	14
Figure 3	Definition diagram of influence of mean stress on fatigue risk	15
Figure 4	Mitre gate drawing with terminology	18
Figure 5	Vertical lift gate drawing with terminology	19
Figure 6	Cracking of mitre gate near midspan (USA)	22
Figure 7	Typical vertical crack in main girder (note the poor detailing and welding)	22
Figure 8	Cracking of a vertical lift gate downstream flange initiated at the toe of a weld due to poor original detailing and welding (USA)	22
Figure 9	Fatigue cracks in connection of vertical and horizontal girders in Germany's Main Donau parallel waterway navigation locks [Meinholt, 2002]	22
Figure 10	Weak axis bending in horizontal girders of a vertical lifting gate and consequential bending in flanges of the vertical diaphragms indicated with compression (C) and tension (T)	23
Figure 11	Fatigue crack in corner connection of vertical and horizontal girders in Princess Irene locks, Amsterdam Rhine Channel, the Netherlands [Ryszard Daniel, 2016]	23
Figure 12	Distortion of a straight gate to geometrically conform to displaced or worn out support walls, quoin beams and/or sills	23
Figure 13	Typical fatigue cracks in horizontal girders of mitre gate, Terneuzen (the Netherlands), after 47 years of service [Schönfeld, 2013]	24
Figure 14	Fatigue crack in poorly detailed web corner detail, Princess Juliana Channel, the Netherlands, lower gates with overhead concrete structure of navigation locks at Born [Daniel, 2011]	24
Figure 15	Torsional crack in US mitre gate quoin post upstream flange due to deflection at the mitre as a consequence of lack of mitre contact caused by wear	24
Figure 16	Original gate details on the left showing square re-entrant corners and cracking, improved details with radii on the right	25
Figure 17	Repaired crack detail with added radius to prevent additional crack initiation	25
Figure 18	US mitre gates, left: gate installation at Markland Locks (US Army Corps of Engineers photo by Carol Labashosky), right: gate instrumentation at Melvin Price Lock and Upper Mississippi River Lock	26
Figure 19	Ductile fatigue rupture of a top hinge anchorage tension member of Mississippi Melvin Price locks, St. Louis	27
Figure 20	Left: wire rope drum and sheaves and right: outer wire ruptures in a stainless steel wire rope subjected to fatigue	27
Figure 21:	Principle of evaluation of variable amplitude loads using S-N curves	29
Figure 22	General principle	30

Figure 23	Example of spectrum of load amplitudes for a Navigation Lock in a river with variable discharge (Meuse river, Sambeek, NL) [Schönfeld, 2013] .....	30
Figure 24	Example of spectrum of load amplitudes for a Navigation Lock bordering tidal waters (Terneuzen, NL) [Schönfeld, 2013] .....	30
Figure 25	Bending load of gate retaining water and at the right: reverse bending when opening the gates ....	31
Figure 26	Left: bending load of gate retaining water, middle: bending of gate retaining negative head difference and right: pre-load to limit deflection in negative load case .....	32
Figure 27	Example of mitre gate with box girders as side posts and folded retaining plate (photographs: Volker and Hollandia Infra) .....	33
Figure 28	Hartel Canal Barrier near Rotterdam, the Netherlands, with (overtopping) flood gates in closed position (photograph: fotovlieger.nl).....	34
Figure 29	Single degree of freedom models of gate with oscillating underflow, with indicated vertical rigid body motion of the gate (left) and elastic response of components (right).....	35
Figure 30	Example of stress concentration factor text book material (taken from BS 7608; 2014) .....	37
Figure 31	Principal of derivation of characteristic S-N curve from experimental failure data [Lotsberg, 2016].....	40
Figure 32	Principle of service life concepts.....	42
Figure 33	Example of ship-building stiffener elbow and stiffener diaphragm details with known S-N curve .....	44
Figure 34	Examples of ship-building details with known S-N curve data in literature .....	44
Figure 35	Example of crossing flanges commonly used in older designs and present in existing gates (left) and photograph of experimental set-up of the fatigue resistance testing of the detail (right) .....	44
Figure 36	Investigated details with crossing flanges: (a) with primary flange in front of secondary flange (both continuous), (b) with secondary flange interrupted and welded to the thicker primary flange.	45
Figure 37	Definition diagram uniform and localised corrosion .....	46
Figure 38	Generalised impression of effects of seawater condition on fatigue resistance in terms of S-N curves [Lotsberg] .....	47
Figure 39:	Nonlinear stress distribution separated into stress components.....	50
Figure 40:	example of a fatigue detail (Extract from EN 1993-1-9).....	51
Figure 41:	Typical skin plate weld details [1] (complete joint penetration groove weld) .....	51
Figure 42:	Example of a welded skin plate with stiffeners and main structure .....	52
Figure 43:	Example of a welded main structure .....	52
Figure 44:	Example of skin plate with stiffeners and girder/frame.....	53
Figure 45:	Location of initiated fatigue cracks.....	54
Figure 46:	Example of butt weld fatigue details according IIW fatigue recommendations.....	54
Figure 47:	Example of influence of the slope of a transition according International Institute of Welding fatigue recommendations .....	54
Figure 48:	Skin plate stiffener types.....	55
Figure 49:	Location of crack at weld toe .....	55
Figure 50:	Example of non-load-carrying attachment according IIW fatigue recommendations .....	55
Figure 51:	Fatigue detail with cope hole according IIW fatigue recommendations .....	56
Figure 52:	Fatigue detail with cope hole according EN 1993-1-9.....	56
Figure 53:	Fatigue cracking through the welds .....	56
Figure 54:	Example pre-stressed bolt connection on tension .....	57
Figure 55:	Example of beam connections with good fatigue details .....	59
Figure 56:	Open gears pitting; caused by a combination of misalignment and grease problems .....	60
Figure 57:	Rack and pinion example.....	61
Figure 58:	Roller chain details .....	61
Figure 59:	Cast Steel pintle ball for large sector gate (left) and cast steel sector gate top hinge (right) .....	66
Figure 60:	ASTM A27 Grade 65-35 bonnet cover being machined and drilled .....	67
Figure 61:	Forged turnbuckles on the diagonals of a vertically framed mitre gate .....	67
Figure 62:	Forged stainless steel hinge ball for cast steel sector gate hinge depicted on the previous page ...	67
Figure 63:	Forged and machined pintle heel being installed onto a forged and machined stainless steel pintle ball with self-lubricated bearings.....	67
Figure 64:	Example of corrosion and consequential breaking of bolts of a diagonal of a mite gate (USA) .....	73
Figure 65:	Aluminium spay coated lock gate of Zandkreeksluis, NL, before installation .....	75
Figure 66:	Design and assessment conditions, in imitation of [Kühn et al., 2008] .....	82
Figure 67:	Presentation of transition from hole to crack [Petersen, 2013].....	83
Figure 68:	Crack opening modes [Petersen, 2013].....	83
Figure 69:	Crack-growth curves acc. to FKM [Forschungskuratorium Maschinenbau, 2006] .....	84
Figure 70:	Fatigue assessment of existing structures, in imitation of Kühn et al. (2008) .....	86
Figure 71:	Mitre gate skin plate cracking with 50mm hole drilled in an attempt to arrest the cracking .....	88
Figure 72:	Bolt installed in 50mm hole to prevent water from passing through the skin plate of the mitre gate	88
Figure 73:	Mitre gate skin plate cracking with 50mm hole drilled in an attempt to arrest the cracking .....	89
Figure 74:	Completed weld repair prior to grinding flush.....	89
Figure 75:	Completed skin plate weld repair inside surface after ceramic backing removal and bolt	

	reinstallation.....	89
Figure 76:	Skin plate bolted cover plate repair at Bonneville Dam (USACE) .....	90
Figure 77:	Skin plate bolted cover plate repair at The Dalles Dam (USACE) .....	90

## TABLES

Table 1	Summary of influence of mean stress on fatigue risk .....	15
Table 2	Locations of typical fatigue cracking per gate type .....	21
Table 3	Schematic relation between S-N curves in various codes [Lotsberg, 2016] .....	39
Table 4	Relation between Fatigue Design Factors (DFFs) on cycle number and partial material stress factors .....	40
Table 5	Fatigue Design Factors (DFFs) required for different offshore structure categories and conditions (criticality and inspections).....	40
Table 6	Recommended beta-values .....	41
Table 7	Partial factors in relevant codes for (hydraulic) steel structures.....	48
Table 8	Partial factors in Eurocode 1993-1-9 .....	49
Table 9	Extract from EN 1993-1-9 .....	57
Table 10	Do's and don'ts in welded joints.....	58
Table 11	Do's and don'ts in other joints and details .....	59
Table 12	Dates when fatigue checks became mandatory in various countries.....	78
Table 13	Important guidance documents for evaluation of existing hydraulic structures .....	79
Table 14	Common material characteristics and test methods .....	80
Table 15	Recommended repair methods for welded structures [Kühn et al., 2008]. .....	90
Table 16	Recommended repair methods for bolted structures [Kühn et al., 2008] .....	91