



PIANC

MarCom WG Report n° 145 - 2020



BERTHING VELOCITY ANALYSIS OF SEAGOING VESSELS OVER 30,000 DWT

The World Association for Waterborne Transport Infrastructure



PIANC
The World Association for
Waterborne Transport Infrastructure

PIANC REPORT N° 145
MARITIME NAVIGATION COMMISSION

**BERTHING VELOCITY ANALYSIS
OF SEAGOING VESSELS OVER 30,000 DWT**

2020

PIANC has Technical Commissions concerned with inland waterways and ports (InCom), coastal and ocean waterways (including ports and harbours) (MarCom), environmental aspects (EnviCom) and sport and pleasure navigation (RecCom).

This report has been produced by an international Working Group convened by the Maritime Navigation Commission (MarCom). Members of the Working Group represent several countries and are acknowledged experts in their profession.

The objective of this report is to provide information and recommendations on good practice. Conformity is not obligatory and engineering judgement should be used in its application, especially in special circumstances. This report should be seen as an expert guidance and state-of-the-art on this particular subject. PIANC disclaims all responsibility in the event that this report should be presented as an official standard.

PIANC Secrétariat Général
Boulevard du Roi Albert II 20, B 3
B-1000 Bruxelles
Belgique

<http://www.pianc.org>

VAT BE 408-287-945

ISBN 978-2-87223-002-0

© All rights reserved

TABLE OF CONTENTS

1	Introduction.....	3
	1.1 Scope.....	3
	1.2 Terms of Reference.....	3
	1.3 Structure of the Report.....	4
	1.4 Related PIANC and Other Documents.....	4
	1.5 Members of the Working Group.....	4
	1.6 Meetings.....	5
	1.7 Acknowledgements.....	5
2	Codes and Standards Related to Berthing Velocity.....	6
	2.1 Introduction.....	6
	2.2 PIANC WG 33.....	7
	2.3 British Standard BS6349-4.....	8
	2.4 Spanish ROM and German EAU.....	8
	2.5 Japanese Technical Standard OCDI.....	9
3	Ship's Berthing Energy and Energy to be Absorbed by the Fender System.....	11
	3.1 The Kinetic Energy Method.....	11
	3.2 Factors to be Considered in Fender Design.....	12
4	Measuring of Berthing Velocity.....	13
	4.1 Review of Current Measurement Technology.....	13
	4.2 Dock Mounted Berthing Aid Systems.....	13
	4.2.1 Fixed and Portable Lasers.....	13
	4.2.2 Microwave.....	18
	4.2.3 Berthing Aid Displays.....	19
	4.3 On Board Berthing Aid Systems.....	20
	4.3.1 GNSS Position.....	22
	4.3.2 GNSS Augmentation.....	22
	4.3.3 True Heading (HDT).....	23
	4.3.4 Rate of Turn (ROT).....	23
	4.3.5 Course Over Ground (COG).....	24
	4.3.6 Piloting Software.....	24
	4.3.7 Considerations for PPU Operations and Berthing Data Collection.....	25
	4.4 Automatic Identification Systems (AIS).....	26
5	Collected Data.....	27
	5.1 Categorisation of Site.....	27
	5.2 Actual Site Conditions.....	27
	5.3 Collected Data.....	28
	5.4 Scattering Maps of Berthing Velocity versus DWT.....	28
	5.5 Adding Overlay of PIANC WG 33.....	29
	5.6 Adding Overlay of EAU 2004 (and Spanish ROM).....	30
6	Data Analysis.....	32
	6.1 Summary of Measured Data.....	32
	6.2 Influential Factors.....	34
	6.2.1 Wind Effect.....	34
	6.2.2 Wave Effect.....	37
	6.2.3 Berthing Manoeuvres and Tug Assistance.....	38
	6.2.4 Effect of Underkeel Clearance.....	41
	6.3 Statistical Analysis – Approach.....	42
	6.4 Statistical Analysis – Summary Results.....	46
	6.5 Classification of Data.....	48
	6.6 Results Extrapolation.....	51
	6.7 How to Use Field Observations in the Design of Fender Systems.....	61
	6.7.1 Derivation of Characteristic Value.....	61
	6.7.2 Derivation of Design Value.....	62
	6.8 Application Example Characteristic Berthing Energy (<i>subject to further study</i>).....	64

7	Conclusions and Recommendations.....	66
7.1	Recommendations	66
Appendix B:	Glossary, Abbreviations and Symbols	70
B.1	Glossary	70
B.2	Abbreviations	71
B.3	Symbols	72
Appendix C:	References and Relevant Publications.....	73
Appendix D:	Collected Data	75
D.1	Scattering Maps of Berthing Velocity Versus DWT	75
D.2	Adding Overlay of PIANC WG 33.....	78
D.3	Adding Overlay of EAU 2004 (Spanish ROM).....	82
Appendix E:	Statistical Examination to Determine Extreme Berthing Velocities.....	86
E.1:	Statistical Examination of Each Dataset for All Ships > 30,000 DWT	87
E.2:	Statistical Examination of Each Dataset for All Ships > 100,000 DWT	101
E.3:	Statistical Examination of the Dataset of all Type A Berths per Ship Range	109
E.4:	Statistical Examination of the Dataset of the Type B Berth per Ship Range.....	117
Appendix F:	Flare Angle and Berthing Angle of Large Container Vessels	127
F.1	Vessel Shape and Dimensions	127
F.2	Vessel Shape and Fender Elevation.....	127
F.3	Flare Angle	129
F.4	Hull Radius	130
F.5	Eccentricity Factor, C_e	131
F.6	Measured Berthing Angle.....	131
F.7	Quarter-Point or Third-Point Berthing: Measured Parallel Hull Ratio	134
F.8	Conclusions.....	134
F.9	References	135