

2A 170/02

INTERNATIONAL NAVIGATION
ASSOCIATION



ASSOCIATION INTERNATIONALE
DE NAVIGATION

Guidelines for the Design of Fenders Systems: 2002



MacCrea
Report of WG 23
2002

INTERNATIONAL NAVIGATION ASSOCIATION

Foreword

1. Introduction

- 1.1 Terms of Reference
- 1.2 Method of Undertaking the Task
- 1.3 Summary
- 1.4 Acknowledgements
- 1.5 Definitions
- 1.6 Symbols

2. Principles of Fendering

- 2.1 Why use fendering
- 2.2 Fendering Principles

2.3	Fendering Design Basis
3.	Fender Systems Available
3.1	Fender systems
3.2	Fender types
4.	Detailed Fender Design
4.1	Design basis
4.1.1	Functional requirements
4.1.2	Operational aspects
4.1.3	Site conditions
4.1.4	Design criteria
4.1.5	Corrosion
4.1.6	Steel panels and fendering
4.1.7	Chains
4.2	Berthing energy: the deterministic approach
4.2.1	Energy equation for a berthing vessel
4.2.2	Mass of Vessel (M)
4.2.3	Approach velocity (v)
4.2.4	Eccentricity Factor (Ce)
4.2.5	Virtual Mass Factor (Cm)
4.2.6	Softness Factor (Cs)
4.2.7	Berth configuration factor (Cc)
4.2.8	Factors for Abnormal Impacts
4.3	Fenders as part of the mooring system
4.4	Hull Pressure
4.5	Computer Simulation
4.6	Fender Selection
5.	Whole Life Considerations
5.1	Introduction
5.2	Facing
5.3	Fender Support System
5.4	Workmanship and Detailing
5.5	Inspection and Maintenance
5.6	Future considerations
6.	Special Cases
6.1	Container vessels
6.2	Ro/Ro vessels including Ferries
6.3	High Speed craft- Catamarans, Swaths and Monohulls
6.4	Large vessels including LPG and LNG
6.5	Vessel to Vessel
6.6	Flexible Dolphins

Figures and Tables

Figure 2.1	Energy Absorption
Figure 2.2	Compression
Figure 2.3	Flow Chart for Fender Design
Figure 2.3.1	Vessel Approach
Figure 2.3.2	Fender Spacing
Figure 2.3.3	Island Berths
Table 3.1	Different Types of Energy Absorbing elastic deformation rubber units.
Table 3.2	Fender Factors for different types of rubber fenders
Figure 3.1	Effects achieved at various degrees of compression of a side loaded fender
Table 4.2.1	Suggested Approach Velocity. Mean Values ROM 0.2-90
Figure 4.2.1	Design Berthing Velocity. Mean Values Brolsma et al.
Figure 4.2.2	Ce Factor
Table 4.2.2	Cb Factor
Table 4.2.3	Cm Factor
Table 4.2.5	Factor for Abnormal Impact
Table 4.4.1.	Hull Pressure Guide
Figure 6.2.1	Ferry and RoRo Vessel Berthing
Figure 6.4.1	Layout of dolphins for Berthing Vessels
Table 6.5.1	Fender Standoff Distance
Table 6.5.2	Closing Velocities
Table 6.5.3	Quick Reference Guide for Fender Selection
Figure 6.6.1	Bending Moments and Pile Details
Figure 6.6.2	Flexible Pile Example
Figure 6.6.3	Head of Dolphin

APPENDICES

Appendix A	Specification for solid rubber units
Appendix B	Specification for pneumatic units
Appendix C	Ship dimensions
Appendix D	Selection of Fender size
Appendix E	Guideline for Specification writing